

Version 1.2

Revision Date: 08/02/2021

SECTION 1. IDENTIFICATION

Product name

: Acetic Acid Glacial 99.5%

Synonyms

No data available

Recommended use of the chemical and restrictions on use

Recommended use

Solvent.

Restricted Uses

: No data available

Manufacturer or supplier's details

Company Address Univar Solutions Canada Ltd. 9800 Van Horne Way

Richmond, BC V6X1W5

Canada

Emergency telephone number:

Local Emergency Contact: During Office hours Monday-Friday, 8.00 am - 4.30 pm (Pacific

Standard Time): 1-866-686-4827

Additional Information:

Responsible Party: Product Compliance Department

E-mail: SDSNA@univarsolutions.com SDS Requests: 1-855-429-2661 Website: www.univarsolutions.com

SECTION 2. HAZARD IDENTIFICATION

Hazardous Classification of the substance or mixture

Flammable liquids

: Category 3

Skin corrosion

: Category 1A

Serious eye damage

Category 1

Label elements

Hazard pictograms





Signal word

: Danger

Hazard statements

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

Precautionary statements

: Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

SDS Number: 100000003118

1/11



Version 1.2

Revision Date: 08/02/2021

and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Substance

Chemical nature

organic

Hazardous components

CAS-No.	Chemical name	% by Weight	Synonyms
64-19-7	Acetic acid	90 - 100	Acetic acid

The exact ranges of this mixture are being withheld due to a Trade Secret.

Molecular formula

: C2H4O2

SECTION 4. FIRST-AID MEASURES

General advice

Move out of dangerous area.

SDS Number: 100000003118

2/11



Version 1.2

Revision Date: 08/02/2021

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Immediate medical treatment is necessary as untreated

wounds from corrosion of the skin heal slowly and with difficul-

ty.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

Take victim immediately to hospital.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Keep respiratory tract clear. Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media

: Alcohol-resistant foam Carbon dioxide (CQ2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire-

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

: No hazardous combustion products are known

Specific extinguishing meth-

ods

: Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Further information

: Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.



Version 1.2

Revision Date: 08/02/2021

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus. Exposure to decomposition products may be a hazard to

health.

SECTION 6. ACCIDENTAL RELEASE MEASURES

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Environmental precautions

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Neutralize with chalk, alkali solution or ammonia.

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition. Vapours are heavier than air and may spread along floors.

Advice on safe handling

Avoid formation of aerosol. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

: No smoking.

Keep container tightly closed in a dry and well-ventilated

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.



Version 1.2

Revision Date: 08/02/2021

Materials to avoid

Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
64-19-7	Acetic acid	TWA	10 ppm 25 mg/m3	CA AB OEL
		STEL	15 ppm 37 mg/m3	CA AB OEL
		TWA	10 ppm	CA BC OEL
		STEL	15 ppm	CA BC OEL
		TWAEV	10 ppm 25 mg/m3	CA QC OEL
		STEV	15 ppm 37 mg/m3	CA QC OEL

Personal protective equipment

Respiratory protection

No personal respiratory protective equipment normally re-

quired.

Hand protection

Remarks

The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection

Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection

Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Hygiene measures

When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

liquid

Colour

colorless, clear

Odour

: pungent



Version 1.2

Revision Date: 08/02/2021

Odour Threshold

: 0.48 ppm

pН

2.4 @ 60 g/l @ 20 - 25 °C (68 - 77 °F)

Freezing Point (Freezing

Point)

: 16.64 °C (61.95 °F)

Boiling Point (Boiling

point/boiling range)

117.9 °C (244.2 °F)

Flash point

39 °C (102 °F) (1,013 hPa)

Method: Tag closed cup

Evaporation rate

: 0.97

Flammability (solid, gas)

: No data available

Upper explosion limit

: 19.9 %(V)

Lower explosion limit

: 4 %(V)

Vapour pressure

15.5925000 mmHg @ 25 °C (77 °F)

Relative vapour density

2.1 @ 20 - 25 °C (68 - 77 °F)

(Air = 1.0)

Relative density

1.0446 @ 25 °C (77 °F)

Reference substance: (water = 1)

Density

1.05 g/cm3 @ 25 °C (77 °F)

Solubility(ies)

Water solubility

602.9 g/l completely soluble @ 25 °C (77 °F)

Solubility in other solvents

: No data available

Partition coefficient: n-

octanol/water

: log Pow: -0.17

Auto-ignition temperature

: 463 °C 1,013 hPa

Thermal decomposition

: No data available

Viscosity

Viscosity, dynamic

1.056 mPa.s @ 25 °C (77 °F)

Viscosity, kinematic

1.011 mm2/s

SECTION 10. STABILITY AND REACTIVITY

SDS Number: 100000003118

6/11



Version 1.2 Revision Date: 08/02/2021

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: Vapours may form explosive mixture with air.

Conditions to avoid Keep away from heat, flame, sparks and other ignition

sources.

Exposure to sunlight. Freezing temperatures.

Incompatible materials Alcohols

Amines peroxides halogens Metals

Strong oxidizing agents

perchloric acid chromium trioxide sulphuric acid Bases

Nitric acid hydroxides

potassium permanganate

Chromic acid carbonates Acetic anhydride acetaldehyde

Hazardous decomposition

products

: carbon dioxide and carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Skin corrosion/irritation

Product:

Remarks: Extremely corrosive and destructive to tissue.

Components:

64-19-7:

Species: Rabbit

Result: Causes severe burns.

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.



Version 1.2

Revision Date: 08/02/2021

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

Product:

Biodegradability

Test Type: aerobic
Biodegradation: 96 %
Exposure time: 20 d

Remarks: Readily biodegradable

Components:

64-19-7:

Bioaccumulative potential

Product:

Bioaccumulation

: Bioconcentration factor (BCF): 3.16 Remarks: Bioaccumulation is unlikely.

Mobility in soilNo data available

Other adverse effects

Product:

Additional ecological infor-

: No data available

mation

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Uni-

var Solutions ChemCare: 1-800-637-7922

Do not dispose of waste into sewer.

SDS Number: 100000003118

8/11



Version 1.2

Revision Date: 08/02/2021

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

TDG (Transportation of Dangerous Goods):

UN2789, Acetic acid, glacial, 8 (3), II

IATA (International Air Transport Association):

UN2789, Acetic acid, glacial, 8 (3), II

IMDG (International Maritime Dangerous Goods):

UN2789, ACETIC ACID, GLACIAL, 8, (3), II, Flash Point:39 °C(102 °F)

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL All components of this product are on the Canadian DSL

AICS On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

PICCS On the inventory, or in compliance with the inventory

IECSC On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with



Version 1.2 Revision Date: 08/02/2021

which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions EHS Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date 9 08/02/2021

Legacy SDS: : R0000012

Material number:

16182786, 16181433, 16181371, 16161555, 16174518, 16176438, 16175402, 16174614, 16180823, 16175940, 16174516, 16168978, 16168274, 16168105, 16169515, 16169535, 16146759, 16147259, 16145251, 16144364, 16151804, 16163671, 16159746, 16152491, 16163881, 16146357, 16152494, 16152493, 16161558, 16161554, 16161557, 16159930, 16153512, 16144333, 16143942, 16137210, 16159761, 16145485, 16136391, 16159752, 16141834, 16140071, 16143542, 16140434, 16142377, 16142651, 16141463, 16145023, 16159196, 16144996, 16144207, 16143543, 16151920, 16141378, 16143544, 52700, 16133825, 16036206, 589291, 16055920, 16055919, 16038528, 16044849, 766662, 676067, 675941, 632756, 577796, 577885, 576228, 554133, 70343, 53810, 70347, 70193, 69074, 53964, 70014, 85461, 53809, 102432, 101839, 86728, 53636, 69075, 70345, 129724, 103117, 102285, 87113, 69675, 122100, 122039, 507599, 20016, 20014, 150888

ACGIH	American Conference of Gov-	LD50	Lethal Dose 50%
	ernment Industrial Hygienists		
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Sub- stances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Sce- nario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentra- tion Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
ARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
ECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act

SDS Number: 100000003118 10 / 11 Acetic Acid Glacial 99.5%



Version 1.2

Revision Date: 08/02/2021

	New Chemical Substances		
KECI	Korea, Existing Chemical Invento- ry	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50		Lethal Con	centration 50%