

**SAFETY DATA SHEET**SDS00815
HYDROGEN PEROXIDE 35%

Preparation Date: 04/Aug/2017

Version: 1

1. IDENTIFICATION**Product identifier****Product Name** HYDROGEN PEROXIDE 35%**Other means of identification****Product Code(s)** SDS00815**Synonyms** none**Recommended use of the chemical and restrictions on use****Recommended Use** Oxidizing agent Bleach & water chemicals.**Restricted Uses** No information available**Initial Supplier Identifier**Univar Canada Ltd.
9800 Van Horne Way
Richmond, BC V6X 1W5
Telephone: 1-866-686-4827**Emergency telephone number****24 Hour Emergency Phone Number (CANUTEC):** 1-888-226-8832 (1-888-CAN-UTEC)**2. HAZARD IDENTIFICATION****Hazardous Classification of the substance or mixture**

Oxidizing liquids	Category 2
Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Sub-category A	
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Label elements

SDS00815 - HYDROGEN PEROXIDE 35%

Preparation Date: 04/Aug/2017

Hazard pictograms**Signal Word: Danger****Hazard statements**

May intensify fire; oxidizer
Harmful if swallowed
Harmful if inhaled
Causes severe skin burns and eye damage
May cause respiratory irritation

Precautionary Statements**Prevention**

Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area
Do not breathe dust/fume/gas/mist/vapors/spray
Wear protective gloves/protective clothing/eye protection/face protection
Keep away from heat
Keep/Store away from clothing/ combustible materials
Take any precaution to avoid mixing with combustibles

Response

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
Wash contaminated clothing before reuse
IF INHALED: Remove person to fresh air and keep comfortable for breathing
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Information

Harmful to aquatic life with long lasting effects

Unknown acute toxicity

No information available

SDS00815 - HYDROGEN PEROXIDE 35%

Preparation Date: 04/Aug/2017

3. COMPOSITION/INFORMATION ON INGREDIENTS**Substance**

Chemical Name	CAS No	Weight-%	Synonyms
Hydrogen Peroxide	7722-84-1	30 - 40%	Hydrogen Peroxide

4. FIRST AID**Description of first aid measures****General advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Inhalation

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.

Ingestion

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed:

Corrosive Causes severe respiratory irritation. May cause conjunctivitis, corneal burns and permanent damage. Symptoms may occur with delay. Ingestion of high concentrations causes rapid release of oxygen which may expand the esophagus or stomach resulting in severe damage (bleeding, ulceration or perforation). Expected to cause burns to the gastrointestinal tract. Vapors may cause pulmonary edema. Toxic effects may be delayed. May cause burns resulting in permanent damage. Prolonged exposure may cause severe irritation and white discoloration. Burning may result in localized erythema (redness) or even blistering of the skin.

Indication of any immediate medical attention and special treatment needed:**Note to physicians**

Hydrogen peroxide at this concentration is a strong oxidant. Direct contact with the eye is likely to cause corneal damage especially if not washed immediately. Careful ophthalmologic evaluation is recommended and the possibility of local corticosteroid therapy should be considered. Because of the likelihood of corrosive effects on the gastrointestinal tract after ingestion, and the unlikelihood of systemic effects, attempts at evacuating the stomach via emesis induction or gastric lavage should be avoided. There is a remote possibility, however, that a nasogastric or orogastric tube may be required for the reduction of severe distension due to gas formation.

SDS00815 - HYDROGEN PEROXIDE 35%

Preparation Date: 04/Aug/2017

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Do not use CO2 extinguisher on this material; use only water spray or appropriate foam. Do not use organic compounds on this material.

Specific hazards arising from the substance or mixture

Stay upwind. Isolate and restrict area access. Stop leak only if safe to do so. Fight fire from a safe distance and from a protected location. Containers exposed to intense heat from fires should be cooled with water to prevent vapor pressure build-up which could result in container rupture. Strong oxidizer. Contact with combustible materials may cause a fire. Release of oxygen may support combustion. Contact with incompatible materials (e.g. metals, alkalis and reducing agents) will cause hazardous decomposition resulting in the release of large quantities of heat, steam and oxygen gas. Exposure to heat may cause hazardous decomposition. A severe detonation hazard may exist when mixed with organic liquids, e.g. kerosene or gasoline.

Hazardous combustion products

Oxygen. Steam.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and materials for containment and cleaning up

Prevent further leakage or spillage if safe to do so.

7. HANDLING AND STORAGE**Precautions for safe handling**

For food plant and other industrial use only. Handle and open containers with care. Never touch eyes or face with hands or gloves that may be contaminated with this product. Do not ingest. Avoid inhalation of chemical. Empty containers may contain hazardous product residues. Keep the containers closed when not in use. Protect against physical damage. Use appropriate personnel protective equipment.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Store in a cool, dry, well ventilated area. Do not store near combustible materials. Do not store this material in containers made of light metals. Recommended container materials: glass, polyvinyl chloride, polyethylene, ceramics, polypropylene. Use adequate venting devices on all packages, containers and tanks and check correct operation periodically. Do not confine product in unvented vessels or between closed valves. Risk of

SDS00815 - HYDROGEN PEROXIDE 35%

Preparation Date: 04/Aug/2017

overpressure and bursting due to decomposition in confined spaces and pipes. Do not store on wooden floors or wooden pallets.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	Alberta OEL	British Columbia OEL	Ontario	Quebec OEL	Exposure Limit - ACGIH	Immediately Dangerous to Life or Health - IDLH
Hydrogen Peroxide 7722-84-1	TWA: 1 ppm TWA: 1.4 mg/m ³	TWA: 1 ppm	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m ³	1 ppm TLV-TWA	75 ppm

Consult local authorities for recommended exposure limits

Appropriate engineering controls

Engineering controls

Use process enclosure, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection

Face protection shield.

Hand protection

Butyl rubber gloves. Nitrile gloves. Natural rubber gloves.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Respiratory protection

If exposure exceeds occupational exposure limits, use an appropriate NIOSH-approved respirator.

General hygiene considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance

Physical state	Liquid
Color	Clear Colorless
Odor	Pungent
Odor threshold	No information available

PROPERTIES

	Values	Remarks • Method
pH	<2 (20 °C)	
Melting point / freezing point	-56 °C / -69 °F	

SDS00815 - HYDROGEN PEROXIDE 35%

Preparation Date: 04/Aug/2017

Initial boiling point/boiling range	119 °C / 246 °F	
Flash point	No data available	none known
Evaporation rate	No data available	none known
Flammability (solid, gas)	No data available	none known
Flammability Limit in Air		none known
Upper flammability limit:	No data available	
Lower flammability limit:	> 40	
Vapor pressure	48 Pa @ 30 °C	
Relative vapor density	No data available	none known
Specific Gravity	1.13	
Water solubility	Completely miscible	
Solubility in other solvents	No data available	
Partition coefficient	No data available	none known
Autoignition temperature	No data available	none known
Decomposition temperature	No data available	none known
Kinematic viscosity	1.8 mPa.s @ 0 °C	
Dynamic viscosity	No data available	none known
Explosive properties	No information available.	
Oxidizing properties	No information available.	
Molecular weight	34.02 g/Mol	
VOC Percentage Volatility	No information available	
Liquid Density	No information available	
Bulk density	No information available	

10. STABILITY AND REACTIVITY

Reactivity/Chemical Stability

Stable

Possibility of hazardous reactions

No additional remark.

Hazardous polymerization

Will not occur.

Conditions to avoid

High temperatures. Spontaneous combustion hazard : - Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood, or other combustibles, can cause the material to ignite and result in a fire.

Incompatible materials

Organic materials. Reducing agents. Alkalis. Combustible material. Metals. Heavy metals and their salts.

Hazardous decomposition products

Oxygen. Steam.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

Causes severe respiratory irritation. Vapors may cause pulmonary edema. Toxic effects may be delayed.

SDS00815 - HYDROGEN PEROXIDE 35%

Preparation Date: 04/Aug/2017

Eye contact

Corrosive. May cause conjunctivitis, corneal burns and permanent damage. Symptoms may occur with delay.

Skin contact

Corrosive. May cause burns resulting in permanent damage. Prolonged exposure may cause severe irritation and white discoloration. Burning may result in localized erythema (redness) or even blistering of the skin.

Ingestion

Ingestion of high concentrations causes rapid release of oxygen which may expand the esophagus or stomach resulting in severe damage (bleeding, ulceration or perforation). Expected to cause burns to the gastrointestinal tract.

Information on toxicological effects**Symptoms**

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Numerical measures of toxicity**Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 1,518.00 mg/kg

ATEmix 1.50 mg/l
(inhalation-dust/mist)**Unknown acute toxicity**

No information available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen Peroxide 7722-84-1	= 1518 mg/kg (Rat)	= 2000 mg/kg (Rabbit) = 4060 mg/kg (Rat)	= 2 g/m ³ (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation**

Corrosive. May cause burns resulting in permanent damage. Prolonged exposure may cause severe irritation and white discoloration. Burning may result in localized erythema (redness) or even blistering of the skin.

Serious eye damage/eye irritation

Corrosive. May cause conjunctivitis, corneal burns and permanent damage. Symptoms may occur with delay.

Respiratory or skin sensitization

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity

No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrogen Peroxide 7722-84-1	A3	Group 3	Not available	Not available

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

SDS00815 - HYDROGEN PEROXIDE 35%

Preparation Date: 04/Aug/2017

Reproductive toxicity

It is not possible to conclude that hydrogen peroxide is mutagenic. Positive results have been obtained in cultured humans cells. Negative results have been obtained in relevant studies using live animals. Positive results have been obtained in short-term mutagenicity tests.

Specific target organ systemic toxicity - single exposure

May cause respiratory irritation.

Specific target organ systemic toxicity - repeated exposure

No information available.

Aspiration hazard

No information available.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Chemical Name	Ecotoxicity - Freshwater Algae Data	Ecotoxicity - Fish Species Data	Toxicity to microorganisms	Crustacea
Hydrogen Peroxide 7722-84-1	Not available	10.0 - 32.0 mg/L LC50 (Oncorhynchus mykiss) 96 h static 18 - 56 mg/L LC50 (Lepomis macrochirus) 96 h static 16.4 mg/L LC50 (Pimephales promelas) 96 h	Not available	EC50: 18 - 32mg/L (48h, Daphnia magna)

Persistence and degradability No information available.

Bioaccumulation No information available.

Chemical Name	Partition coefficient
Hydrogen Peroxide 7722-84-1	Not available

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS**Waste treatment methods**

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Do not reuse empty containers.

14. TRANSPORT INFORMATION**TDG (Canada):****UN Number**

UN2014

Shipping name

HYDROGEN PEROXIDE, AQUEOUS SOLUTION

SDS00815 - HYDROGEN PEROXIDE 35%

Preparation Date: 04/Aug/2017

Class 5.1 (8)
 Packing Group II
 Marine pollutant Not available.

DOT (U.S.)

UN Number UN2014
 Shipping name HYDROGEN PEROXIDE, AQUEOUS SOLUTION
 Class 5.1 (8)
 Packing Group II
 Marine pollutant Not available

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Regulatory Rules

Chemical Name	CERCLA/SARA - Section 302	SARA (311, 312) Hazard Class:	CERCLA/SARA - Section 313:
Hydrogen Peroxide - 7722-84-1	Listed	Not Listed	Not Listed

International Inventories

TSCA Complies
 DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA: Health hazards 3 Flammability 0 Instability 0 Physical and chemical properties -
HMIS Health Rating: Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
 Ceiling Maximum limit value * Skin designation

Prepared By: The Environment, Health and Safety Department of Univar Canada Ltd.

Preparation Date: 04/Aug/2017

Revision Date: 04/Aug/2017

Disclaimer**NOTICE TO READER:**

Univar expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this SDS as a product specification. For product specification information refer to a Product Specification Sheet and/or a Certificate of Analysis. These can be obtained from your local Univar Sales Office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Univar makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Univar's control and therefore users are responsible to

SDS00815 - HYDROGEN PEROXIDE 35%

Preparation Date: 04/Aug/2017

verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.

©2015 Univar Inc. All rights reserved. Univar, the hexagon, the Univar logo and MasterLine are the registered trademarks of Univar Inc.

End of Safety Data Sheet