

## **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

**Product Name:** PC-7

**Preparation Date:** 7/19/2016 Last Revision Date: 5/1/2017

**Emergency Telephone Number: Distributor's Name & Address** CHEMTREC **24-HourToll Free** (800) 424-9300

Essential Water Solutions, Inc.

545 T Ave.

Boone, IA 50036 TEL: 515-523-7011 FAX: 515-598-7294

www.essentialwater.com

# **SECTION 2: HAZARD(S) IDENTIFICATION**

# **GHS Label elements, including precautionary statements**

Pictorgram:

Signal Word: Danger!

**Hazard Statements:** H290 – May be corrosive to metals

H314 – Causes severe skin burns and eye damage

H318 – Causes serious eye damage

H330 - May be fatal if inhaled

H350- May cause cancer

# **Precautionary Statements:**

P260 – Do not breathe fume, mist, vapors, spray

P264- Wash Hands and forearms thoroughly after handling

P271 – Use only outdoors or in a well-ventilated area

P280 – Wear eye protection, face protection, protective gloves, protective clothing

SECTION 3: COMPOSTION/INFORMATION ON INGREDIENTS			
PRODUCT	CAS#	% BY WEIGHT	
Sulfuric Acid	7664-93-9	25	
Water	7732-18-5	60	
Proprietary Chemistry	n/a	15	

# **SECTION 4: FIRST-AID MEASURES**

**Eyes:** Flush eyes with large amounts of water for at least 15 minutes, holding lids apart to ensure flushing of the entire surface. Washing eyes within 1 minute is essential to achieve maximum effectiveness. Seek medical attention IMMEDIATELY.

**Skin:** Immediately wash contaminated areas with plenty of water for 15 minutes.

Remove contaminated clothing and footwear, and wash before reuse. Discard any clothing that cannot be decontaminated. Seek medical attention immediately.

**Ingestion:** If swallowed, do NOT induce vomiting. Get medical aid immediately. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person.

**Inhalation:** POISON material. If inhaled, get medical aid immediately. Remove victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Note to Physician: Monitor arterial blood gases, chest x-ray, and pulmonary function tests if respiratory tract irritation or respiratory depression is evident. Treat dermal irritation or burns with standard topical therapy. Effects may be delayed. Do NOT use sodium bicarbonate in an attempt to neutralize the acid.

#### **SECTION 5: FIRE-FIGHTING MEASURES**

Flammability of the product: Non-Flammable.

Fire extinguishing media:

Suitable: Use an extinguishing agent suitable for the surrounding fire.

Hazardous thermal decomposition products: Sulfur oxides and Nitrogen oxides.

Special protective equipment for fire-fighters: N/A

**Special Remarks on fire hazards:** Not flammable but highly reactive. Strong dehydrating agent, which may cause ignition of finely divided combustible materials on contact. Sulfuric acid is not compatible with steel.

**Special remarks on explosion hazards:** Reacts violently with water with the evolution of heat.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Spills/Leaks:** Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in Section 8. Carefully scoop up and place into appropriate disposal container. Provide ventilation. Do not expose spill to water. Cover with dry earth, dry sand, or other non-combustible material followed with plastic sheet to minimize spreading and contact with water.

## **SECTION 7: HANDLING AND STORAGE**

**Handling:** Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Do not get in eyes, on skin, or on clothing. Keep container tightly closed. Do not allow

contact with water. Discard contaminated shoes. Use only with adequate ventilation. Do not breathe spray or mist.

**Storage:** Do not store near combustible materials. Keep container closed when not in use. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from water. Corrosives area. Do not store near alkaline substances. Store protected from moisture.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

## **Exposure Limits:**

Final PELs

Water=none listed

Sulfuric acid 0.2 mg/m3 TWA 1mg/m3 TWA 15 mg/m3

IDLH 1 mg/m3 TWA

# **Personal Protection:**

**Eyes:** Wear chemical splash goggles and face shield.

**Skin**: Wear appropriate protective gloves to prevent skin exposure. **Clothing:** Wear appropriate protective clothing to prevent skin exposure.

**Respirators**: Follow the OSHA respirator regulations.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Physical State: Liquid.
Odor: slight odor
Color: clear

Vapor Pressure: Not available.
Vapor Density: Not Available
Evaporation Rate: Not Available

**Viscosity:** Not available **Boiling Point:** approx. 120°C

Freezing/Melting Point: Not available

**Decomposition Temperature:** Not available **Solubility:** Soluble in water

**Specific Gravity/Density:** Not available **Molecular Weight:** Not available

#### **SECTION 10: STABILITY AND REACTIVITY**

**Stability:** The product is stable

**Conditions to avoid:** Avoid exposure – obtain special instructions before use.

**Incompatibility (materials to avoid):** Reactive or incompatible with following materials:

reducing materials, organic materials, alkalis and moisture.

Polymerization: Under normal conditions of storage and use, hazardous polymerization will

not occur.

Hazardous Decomposition: Toxic gases and vapors may be released when sulfuric acid

decomposes.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

Product	Result	Species	Dose	Exposure
Sulfuric Acid	LD50 Oral	Rat	2140 mg/kg	-
Irritation/Corrosion				

Product	Result	Species	Score	Exposure
Sulfuric Acid	Eyes-Severe irritant	Rabbit		0.5 min 5 mg

# **Chronic Toxicity**

Product	ACGIH	IARC	EPA	NTP
Sulfuric acid mist	A2	1	-	Proven

**IDLH:** 15 mg/m<sup>3</sup>

# **SECTION 12: ECOLOGICAL INFORMATION**

Environmental effects: Not established

**Aquatic Eco toxicity** 

Product	Result	Species	Exposure
Sulfuric Acid	Acute LC50 42500 ug/L Marine	Crustaceans-Pandalus	48 hours
	water	Montagui-adult	

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste Disposal: The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Avoid dispersal or spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### **SECTION 14: TRANSPORTATION INFORMATION**

PROPER SHIPPING NAME: SULFURIC ACID (WITH NOT MORE THAN 51% ACID), SOLUTION

**HAZARDOUS CLASSIFICATION: 8 IDENTIFICATION NUMBER: UN 2796** 

PKG GROUP: PG II



#### **SECTION 15: REGULATORY INFORMATION**

**United States** 

HCS Classification: Highly toxic material

Corrosive material Target organ effects

U.S. Federal regulations: United States Inventory (TSCA 8b): All components are listed or

exempted.

# **SECTION 16: OTHER INFORMATION**

All information, recommendations and suggestions appearing herein concerning this product are based upon data believed to be reliable; however, it is the user's responsibility to determine the safe handling and suitability for the use of the product described herein. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by **Roberts Chemical** as to the effects of such use, the results obtained, or the safety and toxicity of the product, nor does **Roberts Chemical** per se assume any liability arising out of use, by others, of the product referred to herein. Nor is the information herein to be construed as absolutely complete since more information may be desirable or necessary when particular or exceptional conditions or circumstances exist, or because of applicable laws or government regulations.