

Safety Data Sheet According to OSHA 29 CFR 1910,1200

Revision date: 17/04/2013

Supersedes: 13/06/2012

Version: 4.00

SECTION 1: Product and Company identification Product identifier

Product form

: Liquid

Product name.

: Virocid®

Product code

: 4

Product group

: Disinfectants

1.2.

1.2.1.

Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Main use category

industrial use

Use of the substance/mixture

See product bulletin for detailed information.

Uses advised against

No additional information available

1.3.

Details of the supplier of the safety data sheet

CID LINES NV Waterpoortstraat, 2

B-8900 leper - Belgique T + 32 57 21 78 77 - F +32 57 21 78 79

sds@cidlines.com - http://www.cidlines.com

1.4.

Emergency telephone number

Country	Organisation/Company	7	
Worldwide	www.who.int/ipcs/poisons/centre/directory/en	Address	Emergency number
- Approbable to	the state of the s		

SECTION 2: Hazards identification

Classification of the substance or mixture

Labelling according to OSHA 29 CFR 1910 1200

Flam, Liq. 3 H226 Acute Tox. 4 (Oral) H302 Acute Tox. 4 (Inhalation:vapour) H332 Skin Corr. 1B H314 Resp. Sens. 1 Skin Sens. 1 H334 H317 Aquatic Acute 1 H400

Full text of H-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

25 Label elements

Lathelling according to OSHA 29 CFR 1910 1200

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

Hazard pictograms (CLP)



GHS02







Signal word (CLP)

Hazard statements (CLP)

Danger

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H400 - Very toxic to aquatic life

H312 - Harmful in contact with skin

Precautionary statements (CLP)

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing Immediately call a POISON CENTER or

doctor/physician Specific treatment.

P302+P352+P312+P321 : IF ON SKIN: Wash with plenty of soap and water Call a POISON

CENTER or doctor if you feel unwell. Specific treatment.

P301+P330+P331+P310+P321: IF SWALLOWED : Rinse mouth Do NOT induce vomiting

Immediately call a POISON CENTER or doctor/physician Specific treatment.

2.3 Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Substances

Not applicable

3.2 Mixture

Name	Product identifier	%	Classification	
Alkyldimethylbenzylammoniumchloride	(CAS No)68424-85-1 (EC no)270-325-2 (REACH-no)01-2119945987-15	15 - 30	Skin Corr. 1B, H314 Acute Tox 4 (Oral), H302 Aquatic Acute 1, H400 Acute Tox 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400	
Didecyldimethylammonium chloride	(CAS No)7173-51-5 (EC no)230-525-2 (EC index no)612-131-00-6	5 - 15		
Glutaraldehyde	(CAS No)111-30-8 (EC no)203-856-5 (EC index no)605-022-00-X (REACH-no)01-2119455549-26	5 - 15	Acute Tox 3 (Oral), H301 Skin Corr. 1B, H314 Resp. Sens 1, H334 Skin Sens 1, H317 Aquatic Acute 1, H400	
Propan-2-ol	(CAS No)67-63-0 (EC no)603-117-00-0 (EC Index no)200-661-7 (REACH-no)01-2119457558-25	5 - 15	Flam Liq. 2, H225 Eye Init. 2, H319 STOT SE 3, H336	

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aid measures after inhalation First-aid measures after skin contact

Assure fresh air breathing Obtain medical attention if breathing difficulty persists.

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. Seek medical attention if irritation develops.

First-aid measures after eye contact First-aid measures after ingestion

Rinse immediately with plenty of water. Contact ophthalmologist immediately.

Rinse mouth. Do not induce vomiting because of corrosive effects. Call a physician immediately

Most important symptoms and effects, both acute and delayed

No additional information available

Indication of any immediate medical attention and special finalment needed

No additional information available

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

SECTION 5: Firefighting measure

Extinguishing media

Suitable extinguishing media

All extinguishing media can be used.

Special hazards arising from the substance or mixture

Fire hazard

: Not combustible.

Reactivity

None under normal conditions.

Advice for firefighters

Precautionary measures fire

Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter

environment.

Protection during firefighting

Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures

Equip cleanup crew with proper protection. Respiratory protection equipment may be necessary.

For non-emergency personnel

No additional information available

For emergency responders

No additional information available

6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

Methods and material for containment and cleaning up

Methods for cleaning up

: Clean up any spills as soon as possible, using an absorbent material to collect it. Dilute residues and flush. Recover the cleaning water for later diposal.

Reference to other sections

No additional information available

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

Where contact with eyes or skin is likely, wear suitable protection. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Handle in accordance with good industrial hygiene and safety procedures.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Store in dry, cool, well-ventilated area. Protect from freezing. Keep at temperature not exceeding 50 °C.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

Control parameters

Glutaraldehyde (111-: EU	The state of the s			
- Mary	IOELV TWA (mg/m³)	20 mg/m³		
EU	IOELV TWA (ppm) Idom WEL TWA (ma/m²)			
United Kingdom		0,2 ppm		
United Kingdom		15min - 8h 0,2 mg/m³		
		15min - 8h 0,05 ppm		
Propan-2-ol (67-63-0)	—V-included	1		
U	IOELV TWA (mg/m³)			
EU	IOELV TWA (ppm)	983 mg/m³		
		400 ppm		

Safety Data Sheet

According to OSHA 29 CFR 1910 1200

Exposure controls

Appropriate engineering controls

Personal protective equipment

Provide local exhaust or general room ventilation.

Gloves. Face shield. Protective clothing. Insufficient ventilation: wear respiratory protection.

Protective goggles.











Hand protection

Eye protection

Skin and body protection

Respiratory protection

Other information

: Gloves.

Eye protection should only be necessary where liquid could be splashed or sprayed.

: If skin contact or contamination of clothing is likely, protective clothing should be worn.

Approved dust or mist respirator should be used if airborne particles are generated when

handling this material.

: When using, do not eat, drink or smoke. Provide local exhaust or general room ventilation to

minimize dust and/or vapour concentrations.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state

Liquid

Colour

Clear, Brown.

Odour

Aldehyde.

Odour threshold

No data available

pΗ

Relative evaporation rate (butylacetate=1)

No data available

Melting point Freezing point

: No data available

: -13,5 °C

Boiling point

93 °C

Flash point

Self ignition temperature

: 60 °C No data available

Decomposition temperature

No data available

Flammability (solid, gas) Vapour pressure

No data available

Relative vapour density at 20 °C

No data available : No data available

Relative density

ca 1,015

Solubility

Complete.

Log Pow

No data available

Log Kow Viscosity, kinematic No data available

Viscosity, dynamic

No data available

No data available

Explosive properties Oxidising properties

: No data available

Explosive limits

: No data available No data available

9.2

No additional information available

SECTION 10: Stability and reactivity

Reactivity

None under normal conditions

No additional information available

Possibility of hazardous reactions

Avoid contact with :Strong acids Strong oxidizing agents. None under normal conditions.

10.4 Conditions to avoid

No additional information available

incompatible materials

No additional information available

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Corrosive to eyes and skin.

Virocid®	
LD50 oral rat	ca 1070 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE (oral)	500 000 mg/kg

Glutaraldehyde (111-30-8)

ATE (oral) 100,000 mg/kg

Alkyldimethylbenzylammoniumchloride (68424-85-1)

ATE (oral) 500,000 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

pH: ca 4

Serious eye damage/irritation Eye damage, category 1, implicit

Corrosive to eyes.

pH: ca 4

Respiratory or skin sensitisation

May cause sensitization by inhalation and skin contact.

Germ cell mutagenicity

No data available

Carcinogenicity

: No data available.

Reproductive toxicity

No data available.

Specific target organ toxicity (single exposure)

Data not validated

Specific target organ toxicity (repeated

: No data available.

exposure)

Mo data available

Aspiration hazard

: No data available.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

This product contains hazardous components for the environment. Biodegradable.

Virocid® LC50 fishes 1

1 - 10 mg/l 96h

EC50 Daphnia 1

1 - 10 mg/l 48h

12.2. Persistence and degradability

Propan-2-ol (67-63-0)

Biodegradation

95 %

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects

This product contains hazardous components for the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

Dispose of this material and its container at hazardous or special waste collection point. Hazardous waste due to toxicity. Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. UN number

UN-No

1760

14.2.

UN proper shipping name

Proper Shipping Name

CORROSIVE LIQUID, N.O.S.

Transport document description

UN 1760 CORROSIVE LIQUID, N.O.S. (Alkyldimethylbenzylammoniumchloride

Glutaraldehyde), 8, III, (E)

14.3. Transport hazard class(es)

Class (UN)

: 8

Hazard labels (UN)

: 8



14.4. Packing group

Packing group (UN)

: 111

14.5 Environmental hazards

Dangerous for the environment

Other information

Clean up even minor leaks or spills if possible without unecessary risk.

Special precautions for user

Special transport precautions

The driver shall not attempt to deal with any fire of the load. No naked lights. No smoking, Keep public away from danger area. NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY

14.6.1 Overland transport

Hazard identification number (Kemler No.)

Classification code (ADR)

Orange plates

C9 80

1760

Tunnel restriction code

; E

: 80

LQ

LQ07

Excepted quantities (ADR)

: E1

14.6.2. Transport by sea

Ship Safety Act

Corrosive substances

Port Regulation Law

: Corrosive substances

MFAG-No

: 154

14.6.3 Air transport

Instruction "cargo" (ICAO)

Packaging instructions cargo: 820

Instruction "passenger" (ICAO)

Packaging instructions passenger:818

Civil Aeronautics Law

: Corrosive substances

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

No REACH Annex XVII restrictions

Contains no REACH candidate substance

Other information, restriction and prohibition

regulations

Ensure all national/local regulations are observed.

Safety Data Sheet According to OSHA 28 CFR 1910.1200

15.1.2 National regulations

Water hazard class (WGK)

3 - strongly hazardous to water

Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and FUH-phrases:

text of R-, H- and EUH-phrases:: Acute Tox. 3 (Oral)	And the Land of the Control of the C
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (inhalation:vapour) Category 4
Aquatic Acute 1	Acute toxicity (oral), Category 4
Eye Irrit, 2	Hazardous to the aquatic environment — AcuteHazard, Category
Flam. Liq. 2	ochous eye damage/eye impation Category 2
Flam. Liq. 3	Flammable liquids, Category 2
Resp. Sens. 1	Flammable liquids, Category 3
Skin Corr, 1B	Sensitisation — Respiratory, category 1
Skin Sens. 1	Skin corrosion/irritation_Category_1B
STOT SE 3	Sensitisation — Skin, category 1
H225	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H226	Highly flammable liquid and vapour
H301	Flammable liquid and vapour
H302	Toxic if swallowed
H314	Harmful if swallowed
A series and a ser	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Hamful if inhaled
H334	
H336	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H400	May cause drowsiness or dizziness
R11	Very toxic to aquatic life
	Highly flammable
221/22	Harmful in contact with skin and if swallowed
722	Harmful if swallowed
R23/25	
	Toxic by inhalation and if swallowed Causes burns
36	Irritating to eyes
42	May cause
43	May cause sensitization by inhalation
50	May cause sensitisation by skin contact
67	Very toxic to aquatic organisms
	Vapours may cause drowsiness and dizziness
	Corrosive
	Highly flammable
	Dangerous for the environment
Name of the state	Toxic
1	Irritant
	Harmful

SDS_U

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.